

Active Heatsink Mini-STX

F5000-C027 | Motherboard Accessories






Active Heatsink Kit for K402x Mini-STX motherboard

- ▶ Designed for the Intel® Core™ Ultra Meteor Lake-U series
- ▶ Aluminium with fan
- ▶ 15W TDP (up to 28W - depending on use case)
- ▶ Spring-loaded mounting screws for specified downforce
- ▶ Weight: 199 g (cooler) + 14 g (backplate)

FAN DIMENSIONS	65 x 65 x 10 mm
OPERATING VOLTAGE	12 V; PWM
FAN SPECIFICATION	max. 0.14 A/1.7 W @ 100 % PWM 3.500 rpm +/- 10 % @ 100 % PWM Max. 32 dB(A) @ 100 % PWM Two ball bearing, fan cable = 100 mm
MTBF	70.000 hrs @ 40 °C
OPERATING TEMPERATURE	-10 °C...65 °C
RECOMMENDED MOUNTING SCREW TORQUE	max. 0.8 Nm
MOUNTING BACKPLATE	Metal backplate, provides 4 mounting threads for heatsink
BACKPLATE MOUNTING HOLES	M3; hole spacing = 60 mm x 42 mm
SUPPORTED MOTHERBOARDS	K4021-U

Backplate





Ordering Information

ARTICLE	PART NO.	DESCRIPTION
ACTIVE HEATSINK	F5000-C027	Package contains 40x active cooler incl. 40x backplate

Global Headquarters

Kontron Europe GmbH

Gutenbergstraße 2
85737 Ismaning, Germany
Tel.: + 49 821 4086-0
info@kontron.com

www.kontron.com